

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/557287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 14:14
S1	5499	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:08
S2	563	(mobile or phone or PDA or handheld or cell) with (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:08
S3	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:09
S4	37	S3 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:09
S5	80222	(mobile or phone or PDA or handheld or cell) with (code or parcode near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:24
S6	563	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:25
S7	3	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)with memory with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:24

S8	17	S4 and analyz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:26
S9	252	code near1 recogni\$5 near1 process\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:30
S10	21	S2 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:30
S11	209	osamu.in. and otaka.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:18
S12	11	Moroto.in. and norioki .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:21
S13	785	watanabe.in. and shinichiro .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S14	1584	satoshi.in. and ogawa.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S15	6	S11 and S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S16	3	S11 and S12 and S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22

S17	2	(mobile or phone or PDA or handheld or cell) with (code near2 image) with memory and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:52
S18	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S19	37	S18 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S20	17	S19 and analyz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S21	17	S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S22	567	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:12
S23	567	S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:12
S24	17	S22 and control and memory and (application near program) and analyz \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S25	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14

S26	37	S25 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S27	17	S26 and analyz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S28	2	("2002/0047867").URPN.	USPAT	OR	OFF	2008/03/11 09:37
S29	0	("7213743").URPN.	USPAT	OR	OFF	2008/03/11 09:39
S30	3	("6715131").URPN.	USPAT	OR	OFF	2008/03/11 09:39
S31	8	"5,704,350".pn. or "4,891,756".pn. or "6,219,560".pn. or "5,475,441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:46
S32	1	S31 and (application near (program or manager or execution or unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:48
S33	47	S22 and (application near (program or manager or execution or unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:49
S34	17	S33 and control and memory and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:50
S35	0	("2007/0241189").URPN.	USPAT	OR	OFF	2008/03/11 09:52
S36	0	("2007/0233729").URPN.	USPAT	OR	OFF	2008/03/11 09:52
S37	0	("2006/0282500").URPN.	USPAT	OR	OFF	2008/03/11 09:53
S38	0	("2006/0232662").URPN.	USPAT	OR	OFF	2008/03/11 09:53

S39	2019	(application near program) with down load with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:12
S40	50	(application near program) with download with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:13
S41	1	S40 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S42	1	S40 and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S43	24	S40 and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S44	1	S22 and (read\$3 near control near mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:19
S45	1	(one near dimension near barcode) and "379"/\$.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:17
S46	2	(one near dimension near barcode) and (two near dimension near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:25
S47	2	(one near dimension near code) and (two near dimension near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:26

S48	321	(one near dimension\$2 near code) and (two near dimension\$2 near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:28
S49	242	S48 and (PDA or cell or phone or telephone or PC or computer or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:30
S50	93	S49 and code near image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S51	93	S49 and (code near image) \\	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S52	93	S49 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S53	37	S52 and (code near reader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:32
S54	1	S53 and (control with read \$3 with mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:32
S55	23	S53 and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:33
S56	23	S55 and (control\$3 or processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:36

S57	0	("2006/0065733").URPN.	USPAT	OR	OFF	2008/03/11 16:47
S58	0	("2006/0038145").URPN.	USPAT	OR	OFF	2008/03/11 16:48
S59	10	("20020176711" "20030198383" "5659167" "5821523" "5923735" "6040856" "6058304" "6330975" "6561428" "6807294"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/11 17:01
S60	10	("20020176711" "20030198383" "5659167" "5821523" "5923735" "6040856" "6058304" "6330975" "6561428" "6807294"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 09:05
S61	2	S60 and (two near2 dimension\$3 near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:05
S62	3	S60 and (code or barcode) near1 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:10
S63	0	"10577287"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:14
S64	0	10/577287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S65	0	10/577287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S66	0	10/577,287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15

S67	0	(10/577,287).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S68	1	10/557,287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:16
S69	21	((japanese near article near number) with code) or (JAN near code)) and QR near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:41
S70	7	S69 and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:42
S71	1	(plural\$3 near2 code near1 recognition) with analyz\$3 with (cod\$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:00
S72	1	((plural\$3 or many or different) near2 code near1 recognition) with analyz\$3 with (cod\$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:01
S73	1	((plural\$3 or many or different) near2 code near1 recognition) and analyz\$3 and (cod\$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:01
S74	8	((plural\$3 or many or different) near2 code near1 recognition) and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:02

S75	745	(mobile or cell or PDA or handheld or phone or telephone) with ((pass\$3 or transmit\$4 or transfer \$3) near1 (information or data)) with (permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:06
S76	2	S75 and code near image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:08
S77	29	(mobile or cell or PDA or handheld or phone or telephone) with ((pass\$3 or transmit\$4 or transfer \$3) near1 (information or data)) with (permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) with control with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:08
S78	64	(code near image) with ((extra or additional or more) near1 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:57
S79	40	(permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:58
S80	10	S79 and (application near program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:59
S81	184	("20010055422" "20020039099" "20020110283" "20020128796" "20030034463" "20030089775" "20040155110" "20060071081" "3801775" "3902047" "4020463" "4286255" "4335303" "4387298" "4499372" "4530584" "4544064" "4562592"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 16:16

"4581762"	"4588211"
"4656591"	"4760248"
"4776464"	"4794239"
"4832204"	"4835372"
"4855842"	"4858000"
"4868757"	"4873426"
"4877948"	"4877949"
"4924078"	"4948955"
"4972494"	"5010241"
"5019699"	"5023438"
"5038391"	"5039847"
"5050223"	"5054102"
"5102110"	"5103489"
"5119433"	"5120940"
"5134669"	"5138140"
"5138141"	"5199081"
"5199084"	"5212777"
"5237625"	"5243655"
"5262623"	"5262871"
"5278399"	"5291243"
"5296689"	"5296690"
"5296960"	"5299116"
"5301243"	"5304423"
"5304786"	"5307423"
"5317388"	"5331151"
"5331176"	"5337361"
"5354977"	"5375226"
"5378883"	"5392447"
"5396054"	"5399846"
"5410141"	"5413383"
"5414251"	"5420943"
"5421778"	"5428211"
"5428212"	"5448375"
"5449201"	"5467411"
"5471533"	"5489158"
"5490217"	"5500516"
"5504322"	"5504367"
"5506697"	"5508818"
"5513017"	"5521366"
"5550364"	"5550366"
"5557091"	"5570135"
"5574519"	"5581636"
"5591955"	"5591956"
"5598007"	"5607187"
"5617481"	"5627915"
"5635697"	"5642442"
"5644408"	"5646390"
"5659167"	"5684290"
"5691527"	"5697504"
"5702059"	"5703349"
"5710419"	"5723868"
"5726981"	"5734153")
PN. OR ("5760382"	
"5761686"	"5770841"
"5773806"	"5780834"
"5783811"	"5786586"
"5796090"	"5818028"
"5818528"	"5821518"

		"5834754" "5837986" "5841121" "5857029" "5867595" "5880453" "5886338" "5892824" "5917925" "5917945" "5929418" "5949052" "5949053" "5949057" "5974202" "5992753" "6000612" "6002491" "6011873" "6019286" "6055552" "6060722" "6062475" "6076731" "6076738" "6094509" "6095418" "6098887" "6105871" "6115513" "6122410" "6123261" "6129278" "6149063" "6195122" "6212504" "6223988" "6285916" "6290132" "6298175" "6298176" "6330975" "6340114" "6347163" "6398112" "6494375" "6512218" "6561428" "6722569" "6834807" "6899273").PN.				
S82	5	S81 and (code near image) and (application near program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:18
S83	4	(code near image) with (includ\$3 or have or embeded) with ((other or extra or more) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:24
S84	43	(code near image) with (includ\$3 or have or embeded) with (permi\$5 or allow\$3 or accept\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:27
S85	796	code with ((permi\$4 or security or match\$3) near1 bit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:06
S86	57	code with (portion or part) with((permi\$4 or security or match\$3) near1 bit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:07

S87	172	(code near image) with (contain\$3 or includ\$3 or have or has) with (authoriz\$3 or authentication or ID or permis\$5 or allow\$3 or accept\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:33
S88	111	(code near image) with (contain\$3 or includ\$3 or have or has) with (authoriz\$3 or authentication or ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:34
S89	10	(code near image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) with (authoriz\$3 or authentication or ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:35
S90	301	(code near image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:40
S91	214	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:41
S92	3	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) with (allow\$3 OR ERMIT\$4 OR ENABL\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:43
S93	6	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) with (allow\$3 OR permit\$4 OR ENABL\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:44
S94	3	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) same permit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:45
S95	14277	(bar near code).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:54

S96	32170	(bar near code).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S97	11388	S95 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S98	543	S97 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S99	19	S98 and ((bar\$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:57
S100	10	("4476381" "5869828" "5920062" "6032861" "6032863" "6270724" "6398117" "6457651" "6478223" "6479016"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 18:06
S101	2	S100 and ((bar\$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:08
S102	2	S100 and ((bar\$1 near code) with ((additional or extra or supplemental) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:18
S103	0	"325"/\$.cols. and ((bar\$1 near code) with ((additional or extra or supplemental) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:19
S104	341	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 19:21

S105	25	S104 and ((allow\$3 or permit\$4 or authoriz\$4) near (access or log or download))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 19:23
S106	4206	382/115-124.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:16
S107	64	S106 and (code near3 binary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:17
S108	64	S106 and (code near3 binary) with code\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:18
S109	41	S108 and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:18
S110	342	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:19
S111	342	S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:19
S112	0	S111 with (binary near1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S113	12	S111 and (binary near1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20

S114	9	S113 and analyze\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S115	12	(image near1 file) with (binary near1 data) with code\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:26
S116	5548	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:38
S117	5548	S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:38
S118	5548	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:40
S119	5548	S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:40
S120	493	345/810.ccls. or 705/408. ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:45
S121	9	S120 and S119	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:45
S122	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46

S123	45	S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S124	8	"5,704,350".pn. or "4,891,756".pn. or "6,219,560".pn. or "5,475,441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S125	8	S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S126	64	(code near image) with ((extra or additional or more) near1 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S127	64	S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S128	40	(permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S129	40	S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S130	342	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:49
S131	342	S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:49

S132	493	345/810.ccls. or 705/408.ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:54
S133	80990	(mobile or phone or PDA or handheld or cell) with (code or parcode near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:55
S134	20	S132 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:55
S135	50	(application near program) with download with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:56
S136	16	S133 and S135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:57
S137	728	((bar\$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:57
S138	104	S133 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:58
S141	152193	(mouse near5 key\$1board)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S142	540	(mouse near3 key\$1board) near5 housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48

S143	164	(mouse near2 key\$1board) near3 housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S144	1	10/799627	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:02
S145	1	"20030089775" and analyz \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:06
S146	67354	(lap\$1top or portable) and mouse and key\$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S147	10810	(lap\$1top or portable) same mouse same key \$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S148	3449	(lap\$1top or portable) with mouse with key\$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S149	173	(lap\$1top or portable) near2 mouse near2 key \$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S150	2	"20020047867" and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 07:53
S151	1	"20020047867" and (software same display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 07:58

S152	595	"379"/\$.ccls or 348/14.02.ccls. or 455/414,41.ccls. or 345/738.ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
S153	6331	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
S154	16	S153 and S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
S155	1	10/557287 and block\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 09:42
S156	5	(mobile or phone or PDA or handheld or cell) with ((code or barcode) near2 image)with memory with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 09:59
S157	1255	(mobile or phone or PDA or handheld or cell) and (code near2 image)and barcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:00
S158	748	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:00
S159	77	S158 and (application near (program or manager or execution or unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:00
S160	21	S159 and control and memory and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:00

S161	6	S160 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:00
S162	110	S157 and ((block\$3 or prevent or "stop\$4")adj2 (request or order))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:05
S163	216	(mobile or phone or PDA or handheld or cell) same (code near2 image) and barcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:06
S164	1	S163 and ((block\$3 or prevent or "stop\$4")adj2 (request or order))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:06
S165	649	"379"/\$.ccls or 348/14.02. ccls. or 455/414,41.ccls. or 345/738.ccls. or 382/183. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:08
S166	1	S165 and S162	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 10:08

6/9/2009 2:27:42 PM

C:\Documents and Settings\melzoobi\My Documents\EAST\Workspaces\mobile communication
terminal.wsp